



TUFF/COAT™

RUBBERIZED *NON-SKID* COATINGS



DURABLE, FLEXIBLE, NON-SKID 
BOAT DECK & DOCK COATING

WWW.PETTITPAINT.COM • 800-221-4466

PETTIT TUFF COAT RUBBERIZED NON-SKID COATING

AVAILABLE COLORS



PETTIT TUFF COAT is a state of the art, single component, flexible, water-based product created through a unique process of cross-linking urethanes, acrylics, co-polymers and recycled rubber granules to create a long-lasting non-skid coating. This product is designed to provide an attractive, highly durable, impact-resistant, non-slip surface for boats, yachts, decks and docks.

This product can be used in areas of full submersion should an application be desired. Pettit Tuff Coat is the perfect medium texture solution for high traffic areas where safety is a high priority, and it's powerful UV filters allow the coating to be used in direct or indirect sunlight without the coating fading, peeling or breaking down.

Pettit Tuff Coat's flexible finish dries to 30-35 mils of thickness creating a finish that hides significant imperfections on all surfaces as well as improves existing non-skid finishes from boat manufacturers. This product is low odor and must be applied with a Tuff Coat textured roller or low-pressure hopper spray gun.

Pettit Tuff Coat is available in 15 attractive stocked colors to match our EZ Poxy product offering. Pettit Tuff Coat is also available in large volume custom colors.

TUFF COAT TEXTURED ROLLERS

TUFF COAT TEXTURED ROLLERS must be used to apply Pettit Tuff Coat non-skid coatings to ensure a uniform finish and proper dispersion of the rubber granules. These rollers hold ample paint for a rugged, high-build coating and clean easily with water for use over and over again.

P9001: 9" Textured Roller Cover

P4002: 4" Textured Roller Cover (Twin Pack)



TEXTURED, RUBBERIZED COATING PROVIDES A NON-SKID SURFACE IN WET CONDITIONS



BLACK 3801TC



WHALER BLUE 3240TC



ELECTRIC SAPPHIRE BLUE 3237TC



STEEL GRAY 3720TC



KEY WEST SAND 3509TC



BLUE ICE 3212TC



SEATTLE GRAY 3715TC



BIKINI BLUE 3229TC



PLATINUM GRAY 3711TC



OLIVE DRAB 3306TC



SANDTONE 3518TC



GRAND BANKS BEIGE 3520TC



OCEAN BLUE 3248TC



HATTERAS OFF-WHITE 3108TC



WHITE 3175TC

Note: All color swatches shown in this brochure are approximations of the actual product color in the can. Colors may not identically match EZ Poxy colors due to non-skid finish and texture.

PETTIT TUFF COAT PRIMERS

Pettit Tuff Coat primers are required prior to application of Pettit Tuff Coat.



PETTIT TUFF COAT PRIMER 4000/4001 is a two component, water-based epoxy primer/sealer that can be used on fiberglass, gelcoat, concrete, wood, and painted surfaces to promote adhesion between the substrate and Pettit Tuff Coat. This product is compatible with all Pettit Tuff Coat rubberized non-skid coatings.

PETTIT TUFF COAT METAL PRIMER 6950 is a matte-finish, fast drying, single-component, water-based, corrosion inhibiting primer that's designed for use on interior and exterior metal applications that is compatible with Pettit Tuff Coat rubberized non-skid coatings. The product chemically etches for a tighter bond on clean, bare steel or aluminum surfaces.




SIMPLIFIED APPLICATION GUIDES

FIBERGLASS, CONCRETE, WOOD & PREVIOUSLY PAINTED SURFACES

2 COATS OF **PETTIT TUFF COAT RUBBERIZED NON-SKID COATING**

1 COAT OF **PETTIT TUFF COAT PRIMER 4000/4001**

FIBERGLASS, CONCRETE, WOOD, OR PREVIOUSLY PAINTED SURFACE



METAL

2 COATS OF **PETTIT TUFF COAT RUBBERIZED NON-SKID COATING**

1 COAT OF **PETTIT TUFF COAT METAL PRIMER 6950**

METAL

